

SPEC IT RIGHT

STARTER & ALTERNATOR OPTION CODES FOR NEW TRUCK ORDERS

STARTERS



38MT™

- For medium duty applications
- Power: 4.3kW peak at 12V
- Warranty: 1 year/unlimited miles





38MT+ OPTIONS CODES		
Kenworth	1832042 (MX)	
Peterbilt	2522040 (MX)	
	* Special Quote	

38MT+™

- Tested and approved for all MX engines
- Power: 4.3kW peak at 12V
- Over Crank Protection: A built-in circuit breaker, protects the starter from thermal damage, automatically resetting at a safe operating temperature
- Design refinements for optimal performance
- Integral Magnetic Switch (IMS) reduces voltage drop and ensures the solenoid receives the maximum available voltage in any starting condition.
- Improved starter pinion engagement: Redefined electrical soft start reduces wear-and-tear by slowly rotating the pinion until it properly engages into the ring gear before cranking.
- Warranty: Integrated OCP model: 3 years/350,000 miles




39MT OPTION CODES

Freightliner/ Western Star	155-055 (Cummins) 155-076 Non-OCP (DD 13/15/16)
Kenworth	1832039 (Cummins)
Mack	NCXA5X
Navistar	08WTL
Peterbilt	2522010* (Cummins)
Volvo	NCXA5X
	* Special Quote

* Special Quote

39MT™

- Over Crank Protection: A built-in circuit breaker, protects the starter from thermal damage, automatically resetting at a safe operating temperature
- Design refinements for optimal performance
- Improved starter pinion engagement: Redefined electrical soft start reduces wear-and-tear by slowly rotating the pinion until it properly engages into the ring gear before cranking.
- Warranty: 3 years/350,000 miles





150MT OPTIONS CODES New Product SQ

150MT™

- Optimized pinion speed: provides best-in-class cranking performance
- High performance power pack: provides optimized performance for better engine starts and supports multiple improved vehicle power sources/battery loading
- Long life operation and over crank thermal protection: offers more reliability to meet new vehicle requirements
- Improved mechanical rigidity: to support new vehicle operating requirements
- Warranty: 4 year/unlimited miles (Applicable to U.S. and Canada only)

ALTERNATORS



28SI™

- Output: 12 Volts 160 Amps - 120 Amps at idle 12 Volts 200 Amps - 140 Amps at idle
- Dual Internal Fans: Provides maximum cooling
- Remote Sense: Drastically reduce battery charge time
- Warranty: 2 years/250,000 miles



36SI™

- Output: 12 Volts 160/165 Amps 100 Amps at idle
- Highest output at low RPM: Manages heavy electrical loads at low RPM preventing premature battery discharge
- Remote Sense: Drastically reduce battery charge time
- Brushless durability: 13 fewer moving parts than a brush-type alternator, eliminating components that wear out while extending product life
- Warranty: 3 years/350,000 miles



38SI™ & 40SI™

- Output:
 - 385I: 12 Volts 215 Amps 121 Amps at idle 40SI: 12 Volts 240 Amps - 160 Amps at idle 40SI: 12 Volts 275 Amps - 180 Amps at idle 40SI: 12 Volts 300 Amps - 190 Amps at idle 40SI: 12 Volts 320 Amps - 190 Amps at idle
- Highest output at low RPM: Manages heavy electrical loads at idle preventing premature battery discharge
- Remote Sense: Drastically reduce battery charge time
- Brushless durability: 13 fewer moving parts than a brush-type alternator, eliminating components that wear out while extending product life
- Longer system life: Over spec'ing extends life of alternator
- Efficiency and power density: Highest combination in its class, providing substantial fuel savings
- Warranty: 3 years/350,000 miles

28SI OPTION CODES		
Freightliner/	200 Amp: 124-1E1	
Western Star	180 Amp: 124-1D9	
Kenworth	200 Amp: 1812400	
Mack	200 Amp: 1329007	
Navistar	160 Amp: 08GHP	
Navistar	200 Amp: 08GHU	
Volvo	200 Amp: PJXMRX	
Western Star	160 Amp: 124-1D7	

36SI OPTION CODES		
Freightliner/ Western Star	124-1DJ	
Kenworth	1812162*	
Mack	132-1233 Non-R/S 132-1235* 132-1237*	
Navistar	08GGG	
Peterbilt	2511400	
Volvo	PJXM3X	

38SI C	OPTION CODES
Freightliner/ Western Star	124-1G3
Kenworth	SQ
Mack	SQ
International	08GXT
Peterbilt	SQ
Volvo	PJXMXX
40SI C	OPTION CODES
Freightliner/ Western Star	240 Amp: 124-1E8 275 Amp: 124-1E7 300 Amp: 124-1G1 320 Amp: 124-111
Kenworth	240 Amp: 1812430* 275 Amp: 1812440* 300 Amp: 1812450 320 Amp: 1812451
Mack	240 Amp: 132-9006* 320 Amp: 132-1239
Navistar	240 Amp: 08GHK* 300 Amp: 08GHJ
Peterbilt	240 Amp: 2511480* 275 Amp: 2512100 300 Amp: 2512120 320 Amp: 2511470*
Volvo	240 Amp: PJXM7X 275 Amp: PJXM9X 300 Amp: PJXNAX 320 Amp: PJXNCX

* Special Quote



02 | 2025 DELCOREMY.COM

PHINIA